

27 February 2025

Dear requester,

Provision of requested information

Thank you for your request for information about storm overflow discharges from Leighton Linslade Sewage Treatment Works, which we received on 12 February 2025. Your request has been considered under the Environmental Information Regulations 2004.

I enclose a copy of the information you requested. Please note that the 2024 data is still being verified and may be subject to change.

Further information on storm overflows can be found on our website www.anglianwater.co.uk/environment/storm-overflows and information on the start stop times for 2023 can be found www.anglianwater.co.uk/corporate/reports/being-transparent-under-PEIR2. Start stop times for 2024 will be published soon.

The information supplied to you continues to be protected by the Copyright, Designs and Patents Act 1988. You are free to use it for your own purposes, including any non-commercial research you are doing, and for the purposes of news reporting. Any other re-use (for example, commercial publication) would require the permission of the copyright holder.

If you are unhappy with the service you have received in relation to your request and wish to request an internal review, you should write to:

Legal Director, Lancaster House, Lancaster Way, Ermine Business Park,
Huntingdon PE29 6XU

If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at:

Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow,
Cheshire SK9 5AF

If you have any queries about this letter, please contact EIR@anglianwater.co.uk.

Yours faithfully,

EIR Team

Anglian Water Services Limited

Lancaster House, Lancaster Way, Ermine Business Park, Huntingdon, Cambridgeshire PE29 6XU

Email EIR@anglianwater.co.uk